

Temperature controlled equipment for Life Sciences

Connected Pharmacy and Laboratory Refrigeration





dulasLife Sciences

Temperature Controlled Equipment for Life Sciences

Pioneers of renewable energy solutions, Dulas have been designing, manufacturing and exporting its solar powered vaccine refrigerators globally. Helping to improve lives and support vital childhood immunisation programmes in remote areas of the world.



Inspiring Renewable Energy

Dulas has championed the effective use of wind, solar and hydro energy. We develop and implement schemes that deliver real returns as well as improving lives, helping to combat climate change and support local energy security.

Dulas aims to provide renewable energy solutions to global problems - helping people **make the right choice.**

Medical and Scientific Refrigeration

We have been manufacturing refrigerated appliances for decades in our UK factory. Harnessing on our expertise in medical cold chain, our new advanced Pharmacy and Laboratory refrigeration has now been launched. We are turning our combined expertise and years of experience to this sector, bringing products with a focus on trust, sustainability, reliability and quality, straight from the manufacturer and made here in the UK.



Dulas Connected Range

Our intuitive range of Pharmacy and Laboratory refrigerators feature built-in wireless monitoring software, enabling you to access the refrigerator's performance remotely, via our portal. Place your trust in our Dulas Connected Range. We understand that the contents of your refrigerator are valuable and that it's imperative they are kept within temperature.

Should your temperature drift or should the unit go into alarm state, our proactive Dulas Connected Range will alert you so immediate action can be taken.

In 2022 almost £2.9 m worth of vaccines were **lost due to cold chain issues**¹

Connected Communication

With proactive alerts, you can relax, focus on your work and be safe in the knowledge that should anything occur with your valuable temperature-controlled contents, you will be notified wherever you may be.



Reliable monitoring: Refrigerator temperature is recorded at regular intervals allowing you to view an up-to-date status overview in just a few moments.



Immediate alarms: In the event of an alarm status, you will be notified to ensure action can be taken to preserve your contents.



Accurate history: You can view the performance history and add comments for any actions taken, ensuring a seamless, recorded data trail.

.....



Ease of recording: Temperature data is downloadable in CSV format for your records.



Connected Portal

Never miss an alarm again - and keep your refrigerator contents safe. Our Connect Portal is easy to use, with the ability to view your temperature at a glance and manage alarm statuses from any location.

Place your trust in our Dulas Connected Range



Key features



Advanced Controller

Easy to use touch screen controller, with no awkward buttons to press



Dual Temperature Probe

Air and load probe fitted for a true temperature measurement



Connected

Wireless temperature monitoring plus a built-in SD card should wireless connectivity not be possible



Battery Back Up

Ensures your controller continues to function, even in a power outage



Min/Max Temperature

View your daily minimum and maximum temperatures in one touch



Wire Shelving

For optimum airflow



Reliable Alarm System

A/V alarms should your temperature stray power fail or the door be left open



Secure Bespoke Doors

Solid and glass doors available



Antimicrobial Protection

Biocote® handle helping protect from microbes such as E. coli, Campylobacter, Salmonella and MRSA



Plastic Interior

Wipeable hygienic interior



Self-Closing Doors

Fitted with self-closing hinges to help avoid any temperature loss



Forced Air Cooling

Will pause automatically when the door is open to minimise energy wastage

Specifications











Model DLS95PS / DLS95PS / DLS95PS DLS14SPS / DLS14SPS DLS300PS / DLS300PS / DLS700PS / DLS700PS DL\$400PS / DL\$400PS / DL\$400PS Gross Capacity (Litres) 95 145 340 700 1400 Unit External Width (mm) 520 595 595 720 1440 Unit External Depth (mm) 680 (excl handle) 650 (excl handle) 800 (excl handle) 800 (excl handle) Unit External Height (mm) 680 850 1670 2040 2040 Temperature Range ±2C to +8C		Counter Top	Olider Counter	riee Standing		
Unit External Width (mm) 520 595 595 720 1440	Model	DLS95PS / DLS95PG	DLS145PS / DLS145PG	DLS300PS / DLS300PG	DLS700PS / DLS700PG	DLS1400PS / DLS1400PG
Unit External Depth (mm) 630 (excl handle) 650 (excl handle) 850 (excl handle) 800 (excl handle) 800 (excl handle) Unit External Height (mm) 680 850 1670 2040 2040 Temperature Range +2C to +8C Door Type Solid / Glass Door Style Self Closing Self Closing Self Closing Self Closing Self Closing Replaceable Door Seal Yes Yes Yes Yes Yes Lock Yes / Mechanical	Gross Capacity (Litres)	95	145	340	700	1400
Unit External Height (mm) 680 850 1670 2040 2040 Temperature Range +2C to +8C +2C to +8C <t< th=""><th>Unit External Width (mm)</th><th>520</th><th>595</th><th>595</th><th>720</th><th>1440</th></t<>	Unit External Width (mm)	520	595	595	720	1440
Temperature Range +2C to +8C	Unit External Depth (mm)	630 (excl handle)	650 (excl handle)	650 (excl handle)	800 (excl handle)	800 (excl handle)
Door Type Solid / Glass Solid / Glas Solid / Glass Solid / Glass Solid / Glass	Unit External Height (mm)	680	850	1670	2040	2040
Self Closing Pes / Mechanical Pe	Temperature Range	+2C to +8C				
Replaceable Door Seal Yes	Door Type	Solid / Glass				
LockYes / MechanicalYes / MechanicalYes / MechanicalYes / MechanicalYes / MechanicalAdjustable FeetOneOneOneCastors x4Castors x6PortholeYesYesYesYesTemperature Display On PanelLED / TouchscreenLED / TouchscreenLED / TouchscreenLED / TouchscreenLED / TouchscreenNumber Of Shelves236510Number Of Shelf Positions36202020Number Of Baskets1100Interior LightYes / LEDYes / LEDYes / LEDYes / LEDLight ActivationDoor Switch / ControllerDoor Switch / ControllerBattery Back UpYesYesYesYesYesController ConnectivityWireless / SD DownloadWireless / SD DownloadAlir / Load2. Air / LoadRefrigerant TypeR600aR600aR600aR600aR600aR290R290	Door Style	Self Closing				
Adjustable Feet One One One Castors x4 Castors x6 Porthole Yes Yes Yes Yes Yes Temperature Display On Panel LED / Touchscreen Number Of Shelves 2 3 6 5 10 Number Of Shelf Positions 3 6 20 20 20 Number Of Baskets 1 1 1 0 0 Interior Light Yes / LED Door Switch / Controller Door Switch / Cont	Replaceable Door Seal	Yes	Yes	Yes	Yes	Yes
Porthole Yes Ye	Lock	Yes / Mechanical				
Temperature Display On PanelLED / TouchscreenLED / TouchscreenLED / TouchscreenLED / TouchscreenLED / TouchscreenNumber Of Shelves236510Number Of Shelf Positions36202020Number Of Baskets11100Interior LightYes / LEDYes / LEDYes / LEDYes / LEDYes / LEDLight ActivationDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerBattery Back UpYesYesYesYesYesController ConnectivityWireless / SD DownloadWireless / SD DownloadWireless / SD DownloadWireless / SD DownloadWireless / SD DownloadNumber Of Probes2. Air / Load2. Air / Load2. Air / Load2. Air / Load2. Air / LoadRefrigerant TypeR600aR600aR600aR290R290	Adjustable Feet	One	One	One	Castors x4	Castors x6
PanelLED / TouchscreenLED / TouchscreenLED / TouchscreenLED / TouchscreenNumber Of Shelves236510Number Of Shelf Positions36202020Number Of Baskets11100Interior LightYes / LEDYes / LEDYes / LEDYes / LEDLight ActivationDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerBattery Back UpYesYesYesYesYesController ConnectivityWireless / SD DownloadWireless / SD DownloadNumber Of Probes2: Air / Load2: Air / Load2: Air / Load2: Air / Load2: Air / LoadRefrigerant TypeR600aR600aR600aR290	Porthole	Yes	Yes	Yes	Yes	Yes
Number Of Shelf Positions36202020Number Of Baskets1100Interior LightYes / LEDYes / LEDYes / LEDYes / LEDLight ActivationDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerDoor Switch / ControllerBattery Back UpYesYesYesYesYesController ConnectivityWireless / SD DownloadWireless / SD DownloadWireless / SD DownloadWireless / SD DownloadWireless / SD DownloadNumber Of Probes2: Air / Load2: Air / Load2: Air / Load2: Air / LoadR600aR290		LED / Touchscreen				
Number Of Baskets 1 1 1 1 0 0 0 Interior Light Yes / LED Light Activation Door Switch / Controller Door Switch / Controller Door Switch / Controller Battery Back Up Yes Yes Yes Yes Yes Yes Controller Connectivity Wireless / SD Download 2: Air / Load 2: Air / Load 2: Air / Load Refrigerant Type R600a R600a R600a R290 R290	Number Of Shelves	2	3	6	5	10
Interior Light Yes / LED Yes / LeD<	Number Of Shelf Positions	3	6	20	20	20
Light Activation Door Switch / Controller Door Switch / Controlle	Number Of Baskets	1	1	1	0	0
Battery Back Up Yes Yes Yes Yes Controller Connectivity Wireless / SD Download Wireless	Interior Light	Yes / LED				
Controller Connectivity Wireless / SD Download Number Of Probes 2: Air / Load Refrigerant Type R600a R600a R600a R290 R290	Light Activation	Door Switch / Controller				
Number Of Probes 2: Air / Load 2: Ai	Battery Back Up	Yes	Yes	Yes	Yes	Yes
Refrigerant Type R600a R600a R600a R290 R290	Controller Connectivity	Wireless / SD Download				
	Number Of Probes	2: Air / Load				
Anti Microbial Handle Yes / BioCote Yes / BioCote Yes / BioCote Yes	Refrigerant Type	R600a	R600a	R600a	R290	R290
	Anti Microbial Handle	Yes / BioCote	Yes / BioCote	Yes / BioCote	Yes	Yes









Contact us



Dulas Life Sciences

Unit 4-8 Beeding Close Southern Cross Trading Estate Bognor Regis Sussex PO22 9TS



+44 (0)1243 825511



www.dulas.org.uk

